

# IN-CENTER HEMODIALYSIS (HD) CLINICAL PERFORMANCE MEASURES DATA COLLECTION FORM 2005

[Before completing please read instructions at the bottom of this page and on pages 4, 5 and 6]

PATIENT IDENTIFICATION  <div style="border: 1px solid gray; background-color: #e0e0e0; height: 80px; margin: 10px auto; width: 80%; text-align: center; padding: 10px;">                     Place Patient Data Label Here                 </div>	MAKE CORRECTIONS TO PATIENT INFORMATION ON LABEL IN THE SPACE BELOW
12. <b>If this patient is unknown or was not dialyzed in the facility at any time during OCT 2004-DEC 2004 return the blank form to the Network.</b>	
13. Patient's Ethnicity (Check appropriate box). <input type="checkbox"/> non-Hispanic <input type="checkbox"/> Hispanic, Mexican American (Chicano) <input type="checkbox"/> Hispanic, Puerto Rican <input type="checkbox"/> Hispanic, Cuban American <input type="checkbox"/> Hispanic, Other <input type="checkbox"/> Unknown	
14. <b>Patient's height (MUST COMPLETE):</b> _____ inches <b>OR</b> _____ centimeters ( only for patients < 18 years old, provide date when height was measured: ____ / ____ / ____ ) <span style="margin-left: 300px;">(mm) (dd) (yyyy)</span>	
15. <b>Did patient have limb amputation(s) prior to Dec. 31, 2004:</b> <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	
16. Has the patient ever been diagnosed with any type of diabetes? <input type="checkbox"/> Yes (go to 17) <input type="checkbox"/> No (go to 18) <input type="checkbox"/> Unknown (go to 18)	
17. If question 16 was answered <b>YES</b> , was the patient taking medications to control the diabetes during the study period? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown <b>If YES</b> , was the patient using insulin during the study period? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	
<b>Individual Completing Form (Please print):</b> First name: _____ Last name: _____ Title: _____ Phone number: (_____) _____ - _____ Fax number: (_____) _____ - _____	

### INSTRUCTIONS FOR COMPLETING THE IN-CENTER HEMODIALYSIS CLINICAL PERFORMANCE MEASURES DATA COLLECTION FORM 2005

The label on the top left side of this form contains the following patient identifying information (#'s 1-11). If the information is incorrect make corrections to the right of the label.

- |   |   |
|---|---|
| 1. LAST and first name.<br>3. SOCIAL Security Number (SSN).<br>5. GENDER (1=Male; 2=Female).<br>7. PRIMARY cause of renal failure by CMS-2728 code.<br>9. ESRD Network number.<br>Do not make corrections to this item. | 2. DATE of birth (DOB) as MM/DD/YYYY.<br>4. HEALTH Insurance Claim Number (HIC), ( <b>same as Medicare number</b> ).<br>6. RACE (1=American Indian/Alaska Native; 2=Asian; 3=Black; 4=White; 5=Unknown; 6=Pacific Islander; 7=Mid East Arabian; 8=Indian Subcontinent; 9=Other/Multiracial).<br>8. DATE, as MM/DD/YYYY, that the patient began a regular course of dialysis.<br>10. Facility's Medicare provider number.<br>11. The most RECENT date this patient returned to hemodialysis following: transplant failure, an episode of regained kidney function, or switched modality. |
|---|---|
12. If the patient is unknown or if the patient was not dialyzed in the facility at any time during OCT 2004 through DEC 2004, send the blank form back to the ESRD Network office. Provide the name and address of the facility providing services to this patient on December 31, 2004, if known.
  13. Patient's Ethnicity. Please verify the patient's ethnicity with the patient and check appropriate box.
  14. Enter the patient's height in inches or centimeters. HEIGHT MUST BE ENTERED, do not leave this field blank. You may ask the patient his/her height to obtain this information. If the patient had both legs amputated, record pre-amputation height and check YES for item 15.
  15. For the purpose of this study, check NO if this patient has had toe(s), finger(s), or mid-foot (Symes) amputation; but **check YES if this patient has had a below-knee, below-elbow, or more proximal (extensive) amputation prior to Dec. 31, 2004.**
  16. Check either "Yes", "No", or "Unknown" to indicate if the patient has ever been diagnosed with any type of diabetes. If YES, proceed to question 17.
  17. Check either "Yes", "No", or "Unknown" to indicate if the patient was taking medications to control the diabetes during the study period. If the answer to 17 is YES, please check either "Yes", "No", or "Unknown" to indicate if the patient was using insulin during the study period. Study period is OCT 2004-DEC 2004.

IN-CENTER HEMODIALYSIS (HD) CLINICAL PERFORMANCE MEASURES DATA COLLECTION FORM 2005 (CONTINUED)			
18. ANEMIA MANAGEMENT: For each lab question below, enter the 1st pre-dialysis lab value obtained for each month: OCT, NOV, DEC 2004. Include the date each lab was drawn. Enter NF/NP if the lab value cannot be located.			
	OCT 2004	NOV 2004	DEC 2004
A. 1st pre-dialysis laboratory hemoglobin (Hgb) of the month:	_____ . _____ g/dL (If NF/NP go to 18C) Date: ____/____/____	_____ . _____ g/dL (If NF/NP go to 18C) Date: ____/____/____	_____ . _____ g/dL (If NF/NP go to 18C) Date: ____/____/____
B.1.a. Did the patient have Epoetin prescribed at any time during the 28 days before the Hgb in 18A was drawn?	Epoetin: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Epoetin: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Epoetin: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown
B.1.b. Did the patient have Darbepoetin (Aranesp™) prescribed at any time during the 28 days before the Hgb in 18A was drawn?	Darbepoetin: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Darbepoetin: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Darbepoetin: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown
B.2.a. What was the PRESCRIBED Epoetin dose in units for each treatment during the 7 days immediately BEFORE the Hgb in 18A was drawn? (See instructions on page 4)	Epoetin: _____ _____ _____ units/tx	Epoetin: _____ _____ _____ units/tx	Epoetin: _____ _____ _____ units/tx
B.2.b. What was the PRESCRIBED Darbepoetin dose in micrograms/28 days for the 28 days immediately BEFORE the Hgb in 18A was drawn?	Darbepoetin: _____ mcg/28 days	Darbepoetin: _____ mcg/28 days	Darbepoetin: _____ mcg/28 days
B.3.a. How many times per week was Epoetin prescribed? Check box if prescribed < 1 x per week.	Epoetin: _____ x per week <input type="checkbox"/> < 1 x per week	Epoetin: _____ x per week <input type="checkbox"/> < 1 x per week	Epoetin: _____ x per week <input type="checkbox"/> < 1 x per week
B.3.b. How many times per month (28 days) was Darbepoetin prescribed?	Darbepoetin: _____ per 28 days	Darbepoetin: _____ per 28 days	Darbepoetin: _____ per 28 days
B.4.a. What was the prescribed route of administration for Epoetin? (Check all that apply)	Epoetin: <input type="checkbox"/> IV <input type="checkbox"/> SC <input type="checkbox"/> Unknown	Epoetin: <input type="checkbox"/> IV <input type="checkbox"/> SC <input type="checkbox"/> Unknown	Epoetin: <input type="checkbox"/> IV <input type="checkbox"/> SC <input type="checkbox"/> Unknown
B.4.b. What was the prescribed route of administration for Darbepoetin? (Check all that apply)	Darbepoetin: <input type="checkbox"/> IV <input type="checkbox"/> SC <input type="checkbox"/> Unknown	Darbepoetin: <input type="checkbox"/> IV <input type="checkbox"/> SC <input type="checkbox"/> Unknown	Darbepoetin: <input type="checkbox"/> IV <input type="checkbox"/> SC <input type="checkbox"/> Unknown
C. 1st pre-dialysis serum ferritin concentration of the month:	_____ ng/mL Date: ____/____/____	_____ ng/mL Date: ____/____/____	_____ ng/mL Date: ____/____/____
D. 1st pre-dialysis % transferrin saturation (TSAT) of the month:	_____ % Date: ____/____/____	_____ % Date: ____/____/____	_____ % Date: ____/____/____
E. Was iron prescribed at any time during the month?	<input type="checkbox"/> Yes <input type="checkbox"/> No (go to 19) <input type="checkbox"/> Unknown (go to 19)	<input type="checkbox"/> Yes <input type="checkbox"/> No (go to 19) <input type="checkbox"/> Unknown (go to 19)	<input type="checkbox"/> Yes <input type="checkbox"/> No (go to 19) <input type="checkbox"/> Unknown (go to 19)
F. If yes, what was the prescribed route of iron administration? (Check all that apply).	<input type="checkbox"/> IV <input type="checkbox"/> PO <input type="checkbox"/> Unknown	<input type="checkbox"/> IV <input type="checkbox"/> PO <input type="checkbox"/> Unknown	<input type="checkbox"/> IV <input type="checkbox"/> PO <input type="checkbox"/> Unknown
G. If the patient was prescribed IV iron, what was the total dose of IV iron administered during the month?	_____ mg/month	_____ mg/month	_____ mg/month

**IN-CENTER HEMODIALYSIS (HD) CLINICAL PERFORMANCE MEASURES DATA COLLECTION FORM 2005 (CONTINUED)**

**19. SERUM ALBUMIN:** Enter the 1st pre-dialysis serum albumin obtained for each month: OCT, NOV and DEC 2004. Include the date the serum albumin was drawn. Enter NF/NP if the lab value cannot be located. Check the method used (BCG brom-cresol green or BCP/bromcresol purple) by the lab to determine serum albumin. If lab method unknown, please call lab to find out.

	OCT 2004	NOV 2004	DEC 2004
A. 1st pre-dialysis serum albumin of the month:	_____ . _____ g/dL Date: ____/____/____	_____ . _____ g/dL Date: ____/____/____	_____ . _____ g/dL Date: ____/____/____
B. Check lab method used: BCG = bromcresol green; BCP = bromcresol purple	<input type="checkbox"/> BCG <input type="checkbox"/> BCP	<input type="checkbox"/> BCG <input type="checkbox"/> BCP	<input type="checkbox"/> BCG <input type="checkbox"/> BCP

**20. ADEQUACY:** Enter the information requested below for the dialysis session when the 1st labs of the month were drawn and used to measure adequacy for each month: OCT, NOV, DEC 2004. Include the date the labs were drawn. Enter NF/NP if the information cannot be located.

	OCT 2004	NOV 2004	DEC 2004
A. How many times per week was this patient prescribed to receive dialysis during the week prior to when the pre and post BUNs were drawn?	_____ times per week	_____ times per week	_____ times per week
B. 1st recorded URR of the month:	_____ . _____ % Date: ____/____/____	_____ . _____ % Date: ____/____/____	_____ . _____ % Date: ____/____/____
C. 1st recorded single-pool Kt/V of the month:	_____ . _____ Date: ____/____/____	_____ . _____ Date: ____/____/____	_____ . _____ Date: ____/____/____
D. Method used to calculate the single-pool Kt/V in 20C: (If unknown, please ask Medical Director)	<input type="checkbox"/> Urea Kinetic Modeling <input type="checkbox"/> Daugirdas II <input type="checkbox"/> Depner <input type="checkbox"/> Derived from URR based on no pt. wts. <input type="checkbox"/> Other _____	<input type="checkbox"/> Urea Kinetic Modeling <input type="checkbox"/> Daugirdas II <input type="checkbox"/> Depner <input type="checkbox"/> Derived from URR based on no pt. wts. <input type="checkbox"/> Other _____	<input type="checkbox"/> Urea Kinetic Modeling <input type="checkbox"/> Daugirdas II <input type="checkbox"/> Depner <input type="checkbox"/> Derived from URR based on no pt. wts. <input type="checkbox"/> Other _____
E. Was residual renal function used to calculate the single-pool Kt/V in 20C on this patient?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown
F. 1st pre-dialysis BUN value of the month:	_____ mg/dL Date: ____/____/____	_____ mg/dL Date: ____/____/____	_____ mg/dL Date: ____/____/____
G. 1st post-dialysis BUN value of the month: (both the pre & post dialysis BUN must be drawn on the same day)	_____ mg/dL Date: ____/____/____	_____ mg/dL Date: ____/____/____	_____ mg/dL Date: ____/____/____
H. Pre- & Post-dialysis weight at session when BUNs above drawn: (Circle either lbs or kgs)	Pre: _____ . _____ lbs/kgs Post: _____ . _____ lbs/kgs	Pre: _____ . _____ lbs/kgs Post: _____ . _____ lbs/kgs	Pre: _____ . _____ lbs/kgs Post: _____ . _____ lbs/kgs
I. Actual DELIVERED time on dialysis at session when BUNs above drawn:	_____ hrs _____ min	_____ hrs _____ min	_____ hrs _____ min
J. Delivered blood pump flow rate (BFR) @ 60 minutes after start of dialysis session or average delivered BFR when BUNs above drawn:	_____ mL/min <input type="checkbox"/> 60 min. after start of dialysis <input type="checkbox"/> average delivered BFR	_____ mL/min <input type="checkbox"/> 60 min. after start of dialysis <input type="checkbox"/> average delivered BFR	_____ mL/min <input type="checkbox"/> 60 min. after start of dialysis <input type="checkbox"/> average delivered BFR
K. Code for dialyzer used for dialysis session when BUNs above drawn: (see chart)	_____	_____	_____

**IN-CENTER HEMODIALYSIS (HD) CLINICAL PERFORMANCE MEASURES DATA COLLECTION FORM 2005 (CONTINUED)**

**21. VASCULAR ACCESS: What type of access was used on the last hemodialysis session on or between 10/1/2004 and 12/31/2004 at the patient's primary in-center facility? Check only one of the following access types and follow the corresponding directions.**

 AV Fistula

 Graft

If you checked AV Fistula or Graft, please answer questions 1 and 2 at the right.

(See instructions on page 6).

**If patient had AV Fistula or Graft:**

1. Was routine surveillance for the presence of stenosis performed between 10/1/04 and 12/31/04?  
 Yes  No  Unknown
2. If answer to question 1 is "Yes," please check all methods of surveillance (below) that were utilized.
  - Color-Flow Doppler at least once between 10/1/04 and 12/31/04
  - Static Venous Pressure at least once every 2 weeks between 10/1/04 and 12/31/04
  - Dynamic Venous Pressure every HD session between 10/1/04 and 12/31/04
  - Dilution Technique at least once between 10/1/04 and 12/31/04
  - Other \_\_\_\_\_

 Catheter

 Port Access

If you checked Catheter or Port Access, please answer questions 1 and 2 at the right.

**If patient had a catheter or port access:**

1. Reason for catheter or port access:
  - Fistula maturing, not ready to cannulate (both arterial and venous limb)
  - Graft maturing, not ready to cannulate (both arterial and venous limb)
  - Temporary interruption of fistula due to clotting or revisions
  - Temporary interruption of graft due to clotting or revisions
  - All fistula or graft sites have been exhausted
  - No fistula or graft surgically created at this time
2. Had a catheter or port access been used exclusively for the past 90 days or longer?  
 Yes  No  Unknown

 No fistula or graft surgically planned (check all that apply)

 Peripheral vascular disease

 Patient size too small for AV fistula or graft

 Renal transplantation scheduled

 Patient preference

 Physician/Surgeon preference

 Other \_\_\_\_\_

 Unknown

**22. Did the patient FIRST start hemodialysis during January 1, 2004-August 31, 2004 (see date #8 on page 1)? DO NOT include patients who transferred from peritoneal dialysis, had a newly failed transplant, or returned after an episode of regained kidney function (See instructions on page 6).  Yes (answer 22A-B)  No**

A. What type of access was in use at the **Initiation** of a maintenance course of hemodialysis (First hemodialysis was during JAN 1, 2004-AUG 31, 2004.)?  AV Fistula  Graft  Catheter  Port Access  Unknown

B. What type of access was in use 90 days later?  AV Fistula  Graft  Catheter  Port Access  Unknown

**INSTRUCTIONS FOR COMPLETING QUESTIONS 18 THROUGH 22 (Continued from page 1): To answer questions 18 through 22, review the patient's clinic or facility medical record for OCT 1, 2004 through DEC 31, 2004. Do not leave any items blank. Enter NF/NP if the information cannot be located.**

**18A:** Enter the patient's 1st pre-dialysis hemoglobin (Hgb) for each month OCT, NOV, DEC 2004. Include the date the lab was drawn. If not found or not performed during the month, enter NF/NP.

**18B.1:** Check the appropriate box to indicate if the patient had EPOETIN prescribed at anytime during the 28 days BEFORE the date of the hemoglobin in 18A or had DARBEPOETIN (Aranesp™) prescribed at anytime during the 28 days BEFORE the date of the hemoglobin value in 18A. If the answer is NO to both, skip to prescriber question 18C.

**18B.2:** If Epoetin was prescribed, enter the **PRESCRIBED** Epoetin dose, **not the administered dose**, in units given at each dialysis treatment during the 7 days immediately before the date of the hemoglobin value in 18A, even if the patient did not receive the dose. This includes any prescribed dose not given because of an error or the patient missed a treatment, etc. Enter "0" if the patient was on "Hold" for a treatment. (For the purposes of this collection, a "Hold" order will be considered a 0 unit prescribed dose.) If Epoetin is prescribed less frequently than every dialysis treatment, leave the unit/tx space blank to indicate one or two doses per the 7-day period. If the patient dialyzed more than three times per week and Epoetin was prescribed for each treatment, add all of the doses for the week together and divide by 3 to calculate the three requested data fields for units/tx. Example: The patient dialyzed five times per week and Epoetin was prescribed 10,000 units for each treatment. Calculate as follows: 10,000 units/tx X 5 tx/week = 50,000 units/week, 50,000 units/week ÷ 3 = 16,667 units/tx for the three requested data fields for units/tx.

If **Darbepoetin** (Aranesp™) was prescribed, enter the **PRESCRIBED** Darbepoetin dose, **not the administered dose**, in micrograms per month during the 28 days immediately before the date of the hemoglobin value in 18A, even if the patient did not receive the dose. This includes any prescribed dose not given because of an error or the patient missed a treatment, etc. Enter "0" if the patient was on "Hold". (For the purposes of this collection, a "Hold" order will be considered a 0 mcg/month prescribed dose.)

<b>IN-CENTER HEMODIALYSIS (HD) CLINICAL PERFORMANCE MEASURES DATA COLLECTION FORM 2005 (CONTINUED)</b>
<b>18B.3:</b> Enter the number of times per week that Epoetin was prescribed (check the box if Epoetin was prescribed less than once per week) <b>OR</b> the number of times per month Darbepoetin was prescribed.
<b>18B.4:</b> Check the appropriate box to indicate the prescribed route of administration for Epoetin or for Darbepoetin (intravenous [IV] or subcutaneous [SC]). If the patient was prescribed Epoetin or Darbepoetin IV and SC during the month, please check both boxes.
<b>18C:</b> Enter the patient's 1st pre-dialysis serum ferritin concentration for each month OCT, NOV, DEC 2004. Include the date the lab was drawn. If a serum ferritin concentration test was not found or not performed during the month, enter NF/NP.
<b>18D:</b> Enter the patient's 1st pre-dialysis % transferrin saturation (TSAT) for each month OCT, NOV, DEC 2004. Include the date the lab was drawn. If a % transferrin saturation (TSAT) test was not found or not performed during the month, enter NF/NP.
<b>18E:</b> Check either "Yes", "No", or "Unknown" to indicate if iron was prescribed at any time during the months of OCT, NOV, and DEC 2004. <b>If there was no prescription for iron go to question 19.</b>
<b>18F:</b> If the answer to 18E is "Yes", please check the appropriate box to indicate the route of iron administration (intravenous [IV] or by mouth [PO]) for OCT, NOV, and DEC 2004. If the patient received iron by mouth <b>and</b> IV during the month please check both boxes.
<b>18G:</b> If the patient was prescribed IV iron, add together all doses that were given during the month and enter the TOTAL dose of IV iron (in mg) <b>administered</b> per month during OCT, NOV, and DEC 2004.
<b>19A:</b> Enter the patient's 1st pre-dialysis serum albumin for each month OCT, NOV, DEC 2004. Include the date the lab was drawn. If a serum albumin was not found or not performed during the month, enter NF/NP.
<b>19B:</b> Check the method used by the laboratory to determine the serum albumin value (bromcresol green or bromcresol purple). If you do not know what method the laboratory used, call the lab to find out this information.
<b>20A:</b> Enter the number of times per week the patient was <b>prescribed</b> to receive dialysis in OCT, NOV, and DEC 2004. If the prescription varied during a month, enter the prescription in effect the week prior to when the pre- and post-BUNs were drawn. Do not leave this question blank.
<b>20B:</b> Enter the patient's 1st URR recorded on the lab sheet for each month OCT, NOV, DEC 2004. Include the date the lab was drawn. If not found or not performed during a month, enter NF/NP.
<b>20C:</b> Enter the patient's 1st single-pool Kt/V recorded on the lab sheet for each month OCT, NOV, DEC 2004. Include the date the lab was drawn. If not found or not performed during a month, enter NF/NP.
<b>20D:</b> Check the box to indicate the method used to calculate the single-pool Kt/V in 20C. If you do not know what method was used, please ask the unit's Medical Director. Please check the "Other" box if you do not use any of the methods listed. If using another method and you know what it is, please write the method in the space provided.
<b>20E:</b> Check the appropriate box to indicate whether residual renal function was used to calculate the single-pool Kt/V in 20C. If you do not know, please ask the unit's Medical Director.
<b>20F &amp; G:</b> Enter the patient's 1st pre- and post-dialysis BUNs for each month. Include the dates the labs were drawn. Both the pre- and post-dialysis BUN must be drawn on the same day. Enter NF/NP if not found or not performed during the month.
<b>20H:</b> Enter the patient's pre- and post-dialysis weight at the dialysis session when the pre- and post-dialysis BUNs in question 20F&G were drawn. Circle either lbs or kgs as appropriate.
<b>20I:</b> Enter the patient's total treatment time (actual delivered time) on dialysis during the session when the BUNs in question 20F&G were drawn for months OCT, NOV, DEC 2004. Do not enter the prescribed time on dialysis.
<b>20J:</b> Enter in mL/minutes the delivered blood pump flow rate (BFR) at 60 minutes after the start of the dialysis session or the average delivered BFR when the BUNs in questions 20F&G were drawn for months OCT, NOV, DEC 2004. Do not enter the prescribed blood pump flow rate or the highest achieved blood pump flow rate. Check the box to indicate which BFR is being provided.

**IN-CENTER HEMODIALYSIS (HD) CLINICAL PERFORMANCE MEASURES DATA COLLECTION FORM 2005 (CONTINUED)**

**20K:** Using the enclosed Dialyzer Code Chart, enter the code for the dialyzer used at the dialysis session when the pre- and post-dialysis BUNs in question 20F&G were drawn for OCT, NOV, DEC 2004. If the dialyzer used is not listed on the chart, enter the code for "other" (9999).

**21:** Check only one type of vascular access used on **last hemodialysis session on or between OCT 1, 2004 and DEC 31, 2004** at the patient's primary in-center facility and then complete the corresponding questions to the right of the access type. Exclude dialysis sessions performed at temporary facilities because of holiday travel or hospitalizations. If a fistula and catheter are being used simultaneously for vascular access, the patient's access type should be considered catheter. ("Port Access" is considered a vascular access device which consists of a valve and cannula that is subcutaneously implanted and is accessed by dialysis needles).

**AV Fistula or Graft:**

If the vascular access marked for question 21 was an AV fistula or graft indicate if routine surveillance for the presence of stenosis between Oct 1, 2004 and Dec 31, 2004 was done. Routine surveillance is the sequential measurement of access flow OR of venous pressure.

- Indicate "**YES**" for this question if you measure access flow OR venous pressure using any of the following:  
**Techniques and frequencies used to measure access flow include:**
  - a. one of the dilution methods in which the needles are reversed and recirculation is deliberately induced on a regular basis, OR
  - b. conventional Color-Flow Doppler at a minimum of once every three months.**Techniques and frequencies used to measure venous pressure include:**
  - a. dynamic venous pressure measured at every hemodialysis session; uses low blood pump flow rates usually set at 200 mL/min., OR
  - b. static venous pressure measured at a minimum of once every two weeks; performed at zero blood pump flow.
- Indicate "**NO**" for this question if you only conduct (or note) the following clinical assessments:
  - a. Prolonged bleeding after needle withdrawal.
  - b. Altered characteristics of thrill or bruit.
  - c. Adequacy measurements using Kt/V or URR.
  - d. Recirculation methods.

Continue with question 2 if answered "yes" above and check all surveillance methods utilized based on the definitions and intervals given above. If other techniques and/or corresponding intervals were used check "other" and write in the technique and corresponding intervals.

**Catheter or Port Access:**

If the vascular access marked for question 21 was a catheter or port access, indicate in the appropriate space the **reason for the catheter or port access.**

Continue with question 2 and indicate in the appropriate space **if one or more catheters or port accesses** had been used **continuously** in this patient for the past **90 days or longer** between OCT 1, 2004 and DEC 31, 2004.

**Unknown:**

If the vascular access in question 21 is unknown indicate by checking the "unknown" box and then continue to question 22.

**22:** Check the appropriate space to indicate if the patient **FIRST** started hemodialysis during January 1, 2004-August 31, 2004 (see date #8 on page 1). These patients would have begun a regular maintenance course of hemodialysis during January 1, 2004-August 31, 2004. **DO NOT** include patients who have transferred from peritoneal dialysis, had a newly failed transplant, or returned after an episode of regained kidney function, and were placed on maintenance hemodialysis during the time frame January 1, 2004-August 31, 2004. If "Yes", answer questions 22A-B. If "No", questions 22A-B should be left blank and the form has been completed.

**22A:** Check the appropriate space to indicate type of vascular access in use upon **Initiation** of a maintenance course of hemodialysis. Patient's **FIRST** hemodialysis would be during the time frame January 1, 2004-August 31, 2004. Exclude patients who have received intermittent dialysis treatments for volume overload or congestive heart failure. ("Port Access" is considered a vascular access device which consists of a valve and cannula that is subcutaneously implanted and is accessed by dialysis needles).

**22B:** Check the appropriate space to indicate type of vascular access, for the patient identified in 22A, **in use 90 days after** the patient first started hemodialysis. ("Port Access" is considered a vascular access device which consists of a valve and cannula that is subcutaneously implanted and is accessed by dialysis needles).